This listing of claims will replace all prior versions and listings of the claims:

Claims 1-5 (Canceled).

Claim 6 (Currently Amended) The light fixture of claim 1, further comprising A light fixture, comprising:

a closed loop, high intensity discharge lamp having an outer periphery;

- a first reflector at least partially disposed on a first side of the lamp, the first reflector having a plurality of transmissive areas and a plurality of reflective areas allowing a portion of the light emitted from the lamp to transmit through the first reflector and a portion of the light to be reflected;
- a second reflector at least partially disposed on a second side of the lamp opposite the first side; and
- a substantially transparent thermal cover positioned over one end of the lamp to at least partially enclose a portion of the lamp.

Claim 7 (Original) The light fixture of claim 6, wherein the cover further comprises:

an end located adjacent to the end of the lamp and oriented substantially perpendicular to the lamp and reflectors; and

a first side wall coupled to and positioned substantially normal to the end of the cover.

Claim 8 (Original) The light fixture of claim 7, wherein the first wall of the thermal cover is adjacent to the first reflector and the cover further comprises:

- a second wall opposite the first wall and coupled to the end of the cover;
- a third wall coupled to the first wall, the second wall, and the end of the cover; and
- a fourth wall opposite the third wall and coupled to the first wall, the second wall, and the end of the cover.

Claims 9-10 (Canceled).

Appl. No. 10/625,190 Amdt. dated April 11, 2005 Reply to Office action of December 16, 2004

Claim 11 (Currently Amended) A sign, comprising:

a ballast;

a plurality of light fixtures, each light fixture comprising: including

a closed loop, high intensity discharge lamp having an outer periphery;

a first reflector positioned on a first side of the lamp, the first reflector having a plurality of transmissive areas and a plurality of reflective areas allowing a portion of the light emitted from the lamp to transmit through the first reflector and a portion of the light to be reflected; and

a sign housing having a first output panel that has a diffusive, translucent surface that outputs light emitted by the lamp.

Claim 12 (Original) The sign as claimed in claim 11, wherein the light fixture further comprises a second reflector positioned on a second side of the lamp opposite the first side.

Claim 13 (Original) The sign as claimed in claim 12, wherein the second reflector has a plurality of transmissive areas and a plurality of reflective areas allowing a portion of the light emitted from the lamp to transmit through the second reflector and a portion of the light to be reflected.

Claim 14 (Original) The sign as claimed in claim 12, wherein the second reflector is a specular reflector.

Claim 15 (Original) The sign as claimed in claim 11, wherein the sign housing further comprises a second output panel located on the opposite side of the light fixtures from the first output panel, the second output panel having a diffusive, translucent surface that outputs light emitted by the lamp.

Claim 16 (Original) The sign as claimed in claim 11, wherein the sign housing further comprises at least one side wall and a back wall, each having a diffusive reflective surface adjacent the light fixtures.

Claim 17 (Currently Amended) The sign as claimed in claim 11, further comprising:
a second ballast; and
a second plurality of light fixtures comprising: including
a closed loop, high intensity discharge lamp;
a reflector positioned on one side of the plane panel.